



# C066 : Selgiene Ultra

high specification perfumed cleaner sanitiser certified to EN standards: 1276, 1

### Description of product

**Kills Swine Flu, HIV, Hepatitis C, MRSA & Clostridium difficile Passes EN 1276, 13704, 1650, 14476 & 14675 Manufactured in the UK to ISO 9001, 14001 & 18001**

Selgiene Ultra cleans and sanitises frequently touched items such as door handles, tables, banisters etc. and is suitable for damp mopping floors. Independently proven to kill the HIV, Hepatitis C and H1N1 Influenza viruses. Also certified to kill Clostridium difficile, MRSA and common food poisoning bacteria including Salmonella typhimurium, Listeria monocytogenes and Escherichia coli.


### Laboratory Test Results

microorganism	description	test method	tested by	conditions	% kill rate	dilution
<b>Aspergillus niger</b> AnFH 128/b	Black Mould	BS EN 1650	External	Clean	PASS	1 / 40
		BS EN 1650	External	Dirty	PASS	1 / 40
<b>Clostridium difficile spores</b> NCTC 11209	Hospital acquired diarrhoea	BS EN 13704	External	Clean	99.9	1 / 10
<b>Enterococcus hirae</b> NCIMB 8192	Common food poisoning bacteria	BS EN 1276	Internal - UKAS Accredited Laboratory	Clean	PASS	1 / 10
		BS EN 1276	Internal - UKAS Accredited Laboratory	Dirty	PASS	1 / 10
		BS EN 1276	Internal - UKAS Accredited Laboratory	Dirty	PASS	1 / 40
		BS EN 1276	Internal - UKAS Accredited Laboratory	Clean	PASS	1 / 40
<b>Escherichia coli 0157</b> CCFRA 9913		BS EN 1276	Internal - UKAS Accredited Laboratory	Clean	PASS	1 / 10
		BS EN 1276	Internal - UKAS Accredited Laboratory	Dirty	PASS	1 / 10
		BS EN 1276	Internal - UKAS Accredited Laboratory	Clean	PASS	1 / 40
		BS EN 1276	Internal - UKAS Accredited Laboratory	Dirty	PASS	1 / 40
<b>H1N1 Swine Flu - Influenza A</b> H1N1 Swine Flu	Respiratory illness	BS EN 14675	External	Dirty	PASS	1 / 10
		BS EN 14675	External	Clean	PASS	1 / 10
<b>Hepatitis B (from DHBV surrogate)</b> HEP B	Pathogenic virus	BS EN 14476	External	Clean	99.98	1 / 40
<b>Hepatitis C (from BVDV surrogate)</b> HEP C		BS EN 14476	External	Clean	99.9	1 / 40
<b>HIV (from FIV surrogate)</b> HIV		BS EN 14476	External	Clean	99.9	1 / 40
<b>Listeria monocytogenes</b> NCTC 11994	Common food poisoning bacteria	BS EN 1276	Internal - UKAS Accredited Laboratory	Dirty	PASS	1 / 10
		BS EN 1276	Internal - UKAS Accredited Laboratory	Clean	PASS	1 / 10
		BS EN 1276	Internal - UKAS Accredited Laboratory	Dirty	PASS	1 / 40
		BS EN 1276	Internal - UKAS Accredited Laboratory	Clean	PASS	1 / 40
<b>MRSA</b> NCTC 12493	Methicillin resistant strain of Staph. aureus	BS EN 1276	Internal - UKAS Accredited Laboratory	Dirty	PASS	1 / 10
		BS EN 1276	Internal - UKAS Accredited Laboratory	Clean	PASS	1 / 10
		BS EN 1276	Internal - UKAS Accredited Laboratory	Clean	PASS	1 / 40
		BS EN 1276	Internal - UKAS Accredited Laboratory	Dirty	PASS	1 / 40
<b>Pseudomonas aeruginosa</b> NCIMB 10421	Skin infections	BS EN 1276	Internal - UKAS Accredited Laboratory	Clean	PASS	1 / 10
		BS EN 1276	Internal - UKAS Accredited Laboratory	Dirty	PASS	1 / 10
		BS EN 1276	Internal - UKAS Accredited Laboratory	Clean	99.999	1 / 40
		BS EN 1276	Internal - UKAS Accredited Laboratory	Dirty	99.999	1 / 40
<b>Salmonella Typhimurium</b> NCTC 74	Common food poisoning bacteria	BS EN 1276	Internal - UKAS Accredited Laboratory	Clean	PASS	1 / 10
		BS EN 1276	Internal - UKAS Accredited Laboratory	Dirty	PASS	1 / 40
		BS EN 1276	Internal - UKAS Accredited Laboratory	Clean	PASS	1 / 40
		BS EN 1276	Internal - UKAS Accredited Laboratory	Dirty	PASS	1 / 40
<b>Staphylococcus aureus</b> NCIMB 9518	Bacterial food poisoning and skin infections	BS EN 1276	Internal - UKAS Accredited Laboratory	Clean	PASS	1 / 10

I certify that the above product has been tested in UKAS accredited laboratories to British and European standards wherever applicable. Each production batch has been manufactured and quality control tested by Selden Research Limited in an ISO 9001, 14001, 18001 and IPC certified facility.

Peter Woodhead  
Technical Director

**Selden Research Limited**  
Staden Business Park, Staden Lane, Buxton  
Derbyshire. SK17 9RZ  
Tel : 01298 26226 | Fax : 01298 26540 | Email : info@selden.co.uk | web : www.selden.co.uk



**SELDEN**  
formulating  
testing  
manufacturing  
to  
the highest  
standards